



Performance Data

CM Model

Pump	GAL./100 REV.	PUMP SPEED	300 RPM		450 RPM		600 RPM		750 RPM		900 RPM		1200 RPM	
			DIFF. PRESS. PSI	GPM	MIN. HP	GPM	MIN. HP	GPM	MIN. HP	GPM	MIN. HP	GPM	MIN. HP	GPM
2CM1	0.056	0	.14	1/8	.22	1/8	.29	1/4	.37	1/4	.43	1/4	.58	1/4
		60	.12	1/8	.20	1/8	.26	1/4	.33	1/4	.41	1/4	.55	1/4
		120	.10	1/8	.15	1/8	.22	1/4	.30	1/4	.37	1/4	.51	1/4
6CM1	0.056	0	.14	1/8	.22	1/6	.29	1/4	.37	1/4	.43	1/3	.58	1/3
		180	.12	1/8	.20	1/6	.26	1/4	.33	1/4	.41	1/3	.55	1/3
		360	.10	1/8	.15	1/6	.22	1/4	.30	1/4	.37	1/3	.51	1/3
6CM2	0.260	0	.54	1/4	1.1	1/2	1.50	3/4	2.00	1/3	2.20	1/2	3.00	3/4
		180	.51	1/4	.90	1/2	1.30	3/4	1.80	1/3	2.10	1/2	2.80	3/4
		360	.50	1/4	.45	1/2	.90	3/4	1.40	1/2	1.70	1	2.30	3/4
6CM3	0.860	0	2.50	1/2	3.80	3/4	5.10	1	6.40	1-1/2	7.50	1-1/2	10.00	2
		240	1.80	1/2	2.90	3/4	4.30	1	5.50	1-1/2	6.80	1-1/2	9.30	2
		450	-	-	1.70	1-1/2	2.70	1-1/2	4.20	2	5.00	2	7.70	3
6CM4	2.020	0	6.00	1- 1/2	9.00	2	12.00	3	15.00	5	18.00	5	24	5
		240	5.00	2	7.40	2	10.00	3	12.50	5	16.00	5	22	5
		450	1.80	2	4.50	3	7.00	5	8.50	7-1/2	13.00	7-1/2	19	7-1/2

Our CM Line consists of CM1, CM2, CM3 and CM4 frames with an option of 2, 3, or 6 stages. CM Pumps not listed are: 3CM1, 2CM2, 3CM2, 2CM3, 3CM3, 2CM4 and 3CM4. For more information on these pumps please contact us.

Continental Pump Company

29425 State Hwy B | Warrenton, Missouri 63383 | Tel: 636-456-6006 | Fax: 636-456-4337 | Email: sales@con-pump.com

www.continentalultrapumps.com